



# CRITICAL CARE

<http://ccforum.com>

Volume 12  
Supplement 5  
2008



Affiliated to the International Symposium on Intensive Care  
and Emergency Medicine (ISICEM), Brussels, Belgium

**Editor-in-chief**  
Jean-Louis Vincent  
Belgium

## Sepsis 2008

Granada, Spain  
19-22 November 2008

## Abstracts



**BioMed Central**  
The Open Access publisher

# **Critical Care**

*<http://ccforum.com>*

**Editor-in-chief: Jean-Louis Vincent**

Vol 12 Suppl 5 2008

## **Sepsis 2008**

**Granada, Spain**

**19-22 November 2008**

## **Abstracts**

# Contents

- P1 Medical simulation for severe sepsis: improving both factual knowledge and crisis management skills**  
Peter G Brindley
- P2 Protective potential of 2-chloroadenosine in *Klebsiella pneumoniae* B5055 induced sepsis in BALB/c mice**  
Vijay Kumar, Sanjay Chhibber
- P3 Use of clinical decision support to improve compliance with the Surviving Sepsis Campaign**  
Erica Cummings, Gerhard Tivig, LuAnn Staul, Michele Lecardo
- P4 Prognostic value of amino terminal pro-b-type natriuretic peptide in septic patients**  
Fernando Maroto, Cristobal Colon, Olga Rufo, Ana Barrero, Victor Jorge, Sonia Gallego, Flora Villarrasa, Maria Carmen Perez-Paredes, Jose Luis Garcia-Garmendia
- P5 Compliance with vasopressor use of early goal-directed therapy is not associated with decreased mortality in severe sepsis/septic shock**  
Bekele Afessa, John J Mullon, Rodrigo Cartin-Ceba, Garrett E Schramm, Ognjen Gajic
- P6 *Pseudomonas aeruginosa* elastase induces IL-8 production in the lung cells via the epidermal growth factor/extracellular signal-regulated proteins/NFκB pathway**  
Ali Azghani
- P7 Significant decrease of central venous catheter-associated bloodstream infection rates in 38 German intensive care units**  
Sonja Hansen, Frank Schwab, Sandra Schneider, Dorit Sohr, Christine Geffers, Petra Gastmeier
- P8 LightCycler SeptiFast assay as a tool for the rapid diagnosis of sepsis in patients receiving antimicrobial therapy**  
Adriana Vince, Snjezana Zidovec Lepej, Bruno Barsic, Davorka Dusek, Zdravko Mitrovic, Ranka Serventi Seiwerth, Boris Labar
- P9 Eosinophilia as a marker of adrenal insufficiency in critically ill patients with severe septic shock: 1-year prospective study**  
Eleni Mouloudi, Constantine Katsanoulas, Dionysios Vrochides, Tatiana Giasnetsova, Chryssoula Papageorgiou, Nikoleta Gritsi-Gerogianni
- P10 Polymerase chain reaction detection of sepsis-inducing pathogens in blood using SepsiT<sup>est</sup>**  
Claudia Disqué, Anna-Julia Kochem, Helge Mühl, Michael Lorenz, Samir Sakka
- P11 Impact of an educational program on the Surviving Sepsis Campaign implementation for sepsis management**  
Pablo Perez d'Empaire, Juan Pal Otero, Stevens Salva Sutherland, Fernando Perez Barreto, Gabriel d'Empaire Yanes
- P12 Automation of Septifast<sup>®</sup> for molecular diagnosis of infection in septic patients**  
Benito Regueiro, Eduardo Varela, Lucia Martinez Lamas, Antonio Santos, Julian Alvarez
- P13 Troponin can discriminate the most severe septic patients and should be included as an early routine test in Surviving Sepsis Campaign patients**  
Constantino José Fernandes, Nelson Akamine, Reinaldo Salomão, Luis Fernando Lisboa, Otelo Rigatto
- P14 Pulmonary macrophage migration inhibitory factor: an important contributor to age-dependent inflammation in sepsis**  
Helena Linge, Xinchun Lin, Koichiro Takahashi, Yinzhong Zhang, Kiyokazu Koga, Vihas Vasu, Yousef Al-Abed, Kishorchandra Gohil, Edmund Miller
- P15 Fully human anti-macrophage migration inhibitory factor antibodies as potential therapeutics for sepsis and septic shock**  
Randolf Kerschbaumer, Manfred Rieger, Gerhard Antoine, Dirk Völkel, Didier Le Roy, Thierry Roger, Helga Savidis-Dacho, Thierry Calandra, Fritz Scheiflinger
- P16 Effects of hydroxyethyl starch and gelatin solutions on renal function in surgical intensive care unit patients**  
Christiane Hartog, Franziska Schabinski, Janaina Oishi, Fabio Tuche, Alain Luy, Yasser Sakr, Donald Bredle, Konrad Reinhart
- P17 Daily blood sampling in septic mice: an optimal and effective monitoring tool**  
Katrin Maria Weixelbaumer, Victoria Meissner, Heinz Redl, Soheyl Bahrami, Marcin Osuchowski
- P18 Microcirculation changes following acute and chronic portal hypertension and their response towards bacterial translocation challenge**  
Ricardo Toma, Ana Liberatore, Jose Menchaca-Diaz, Ivan Koh
- P19 Contribution of the gut association lymphoid tissue inflammatory response under bacterial translocation and sepsis challenge is the relevant factor for the onset of multiple organ dysfunction syndrome**  
Jose Menchaca-Diaz, Ana Liberatore, Luciano Vilela-Oliveira, Tarso Koh, Ricardo Souza, Reinaldo Salomao, Milena Buriatti, Mauro Morais, Ivan Koh
- P20 Relationship between sepsis intensity, Gram-negative bacterial overgrowth and bacterial translocation in rats**  
Ana Liberatore, Jose Menchaca-Diaz, Marjorie Taki, Ricardo Souza, Rosa Silva, Mauro Morais, Ivan Koh
- P21 Activated protein C–protein C inhibitor complex as a prognostic marker in sepsis**  
Lars Heslet, Rikke Hald, Camilla Recke, Kristian Bangert, Lars Otto Uttenthal
- P22 Which is the worst factor in the sepsis aggravation: translocated bacterial amount or the gut-associated lymphoid tissue activation?**  
Ivan Koh, Ana Liberatore, Marjorie Taki, Jose Menchaca-Diaz
- P23 Effects of inducible nitric oxide synthase and neuronal nitric oxide synthase inhibition on methicillin-resistant *Staphylococcus aureus* sepsis**  
Kamna Bansal, Collette Jonkam, Daniel Traber, Atsumori Hamahata, Perenlei Enkhbaatar
- P24 Use of direct Etest in the management of ventilator-associated pneumonia due to resistant Gram-negative pathogens**  
David Partridge, Lorcan Sheppard, Tom Darton, Robert Townsend

- P25 Evaluation of an agar-gradient minimum-inhibitory-concentration method (the Etest) as a rapid and direct measure of antimicrobial susceptibility in Gram-negative bacteraemia**  
Tom Darton, David Partridge, Steve Davis, Rob Townsend
- P26 Statin anti-inflammatory therapy in septic patients**  
Celso Montoya González, Ariadna Hernández Luna, Manuel Poblano Morales, Janet Aguirre Sanchez, Claudia Olvera Guzman, Juvenal Franco Granillo
- P27 Rapid identification of sepsis-causing pathogens with polymerase chain reaction and microarray-based assay**  
Anna-Kaarina Järvinen, Sanna Laakso, Anne Aittakorpi, Pasi Piiparinen, Merja Lindfors, Laura Huopaniemi, Heli Piiparinen, Minna Mäki
- P28 Bacterial flagellin triggers myocardial innate immune responses and acute contractile failure**  
Joelle Rolli, Sandra Levrant, Bernard Waeber, François Feihl, Lucas Liaudet
- P29 Alterations in cardiac hemodynamics following endotoxin are not due to reduced myocardial contractility**  
Li Jianhui, François Feihl, Bernard Waeber, Lucas Liaudet
- P30 The flagellin/Toll-like receptor 5 axis elicits diffuse proinflammatory signaling and innate immune defenses *in vivo***  
Joelle Rolli, Sandra Levrant, Bernard Waeber, François Feihl, Lucas Liaudet
- P31 A novel therapeutic agent to prevent sepsis-induced acute kidney injury and mortality**  
Song Rong, Nelli Shushakova, Jan Menne, Michael Mengel, Paul Leufkens, Michael Brownstein, Hermann Haller, Faikah Gueler
- P32 Identifying sepsis in the emergency room: the best clinical and laboratory variables**  
Bengt Gardlund, Karin Hansson, Patrik Gille-Johnson
- P33 Role of central nitric oxide on hormonal and cardiovascular alterations in experimental polymicrobial sepsis**  
Gabriela Ravanelli Oliveira-Pelegrin, Sergio Vicente de Azevedo, Maria José Alves Rocha
- P34 Blocking central leukotrienes synthesis affects vasopressin release during sepsis**  
Leticia Antunes Athayde, Gabriela Ravanelli Oliveira-Pelegrin, Auro Nomizo, Lucia Helena Faccioli, Maria Jose Alves da Rocha
- P35 Systemic inflammatory response syndrome and severe sepsis definitions outside the intensive care unit: contribution or confusion?**  
Patrik Gille-Johnson, Karin Hansson, Bengt Gardlund
- P36 Circulating myeloid and plasmacytoid dendritic cells are strongly diminished in septic shock**  
David Grimaldi, Stéphane Louis, Frédéric Pene, Gonsalo Sirgo, Christophe Rousseau, Jean-Paul Mira, Anne Hosmalin, Jean-Daniel Chiche
- P37 suPARnostic® as a treatment efficacy monitoring tool in systemic inflammatory response syndrome/sepsis patients**  
Jesper Eugen-Olsen, Kristian Kofoed, Janne Petersen, Klaus Larsen, Ove Andersen
- P38 Methicillin-resistant *Staphylococcus aureus* enhances alveolar epithelial cell permeability through vascular endothelial growth factor and cytoskeletal disruption**  
Kamna Bansal, Rhykka Connelly, Daniel Traber, Perenlei Enkhbaatar
- P39 Phosphoinositide-3 kinase gamma kinase activity significantly contributes to the pathophysiology of sepsis and multiorgan failure**  
Erica Martin, Martino Bosco, Luisa Delsedime, Emilio Hirsch, V Marco Ranieri
- P40 Relationship between protein C and antithrombin III deficiencies in sepsis without disseminated intravascular coagulation status**  
Munekazu Takeda, Ryuichi Moroi, Tomoyuki Harada, Masaru Abe, Takahiro Terada, Mizuho Namiki
- P41 ELISpot analysis of lipopolysaccharide-stimulated leukocytes: human granulocytes selectively secrete IL-8, MIP-1 $\beta$  and TNF $\alpha$**   
Christian Smedman, Bengt Gardlund, Kopek Nihlmark, Patrik Gille-Johnson, Jan Andersson, Staffan Paulie
- P42 Prognostic factors of severe sepsis: a result of Korean sepsis registry system**  
Byung-Chul Chun, Min-Ja Kim, Jang Wook Sohn, Hee Jin Cheong, Dae Won Park, Hee Jung Choi, Yang Ree Kim, Kyong Ran Peck, Yang Soo Kim, Young Hwa Choi, Hyo Youl Kim, Jun Yong Choi, Young Goo Song, June Myung Kim
- P43 Nucleic acid amplification-based pathogen detection in the blood of severe sepsis patients**  
Frank Bloos, Svea Sachse, Karl-Herrmann Schmidt, Mark Lehmann, Roland Schmitz, Stefan Russwurm, Eberhart Straube, Konrad Reinhart
- P44 HMGB1 is an early mediator of inflammation and may be negatively regulated by soluble receptor for advanced glycation end products in experimental endotoxemia and in sepsis**  
Jonas Sundén-Cullberg, Anne Soop, Leif Tokics, Carl-Johan Treutiger
- P45 Toll-like receptor pathway signaling is differently regulated in neutrophils and peripheral mononuclear cells of patients with sepsis, severe sepsis and septic shock**  
Reinaldo Salomão, Milena Brunialti, Natalia Gomes, Marialice Mendes, Ricardo Diaz, Shirley Komninakis, Flavia Machado, Ismael da Silva, Otelio Rigato
- P46 Downregulation of IL-6 and preserved reactive oxygen species production in human monocytes tolerized by lipopolysaccharide and challenged with Toll-like receptor agonists and whole Gram-negative and Gram-positive bacteria**  
Maria da Luz Fernandes, Marialice Mendes, Milena Brunialti, Reinaldo Salomao
- P47 Validation of polymerase chain reaction in experimental sepsis diagnosis beyond blood culture**  
Marcello Ruiz-Silva, Derci Sa-Filho, Marcos Caseiro, Ivan Koh
- P48 A novel multiplex quantitative polymerase chain reaction assay for the early prediction of sepsis in critically ill patients presenting signs of shock and organ dysfunction**  
Michael Bauer, Eva Moeller, Stefan Russwurm, Konrad Reinhart
- P49 A comparative study between conventional and antimicrobial-filled central venous catheters**  
Sergio Kiffer Macedo, José Luiz Filho, Gabriella Castro de Lima, Lara Bonani de Almeida Brito